HELP-I MESSED UP USING MY CONTRACEPTION!

<u>Instructions for missed combined oral contraceptives</u>

1 active pill < 24 hours late in any week:

Take 1 active pill ASAP* and continue pack as usual.

Missed 1 or more active pills (i.e., >24 hours late):

If during week 1:

Take 1 active pill ASAP* and continue pack as usual.

Back-up contraception for 7 days.

Consider Emergency Contraception (EC) if unprotected intercourse occurred within the 5 days prior to missing pill.

If during week 2 or 3 and missed < 3 pills:

Take 1 active pill ASAP* and continue active pills as usual, but discard placebo pills and start a new pack

If during week 2 or 3 and \geq 3 pills missed:

Take 1 active pill ASAP* and continue active pills as usual, but discard placebo pills and start a new pack

Back-up contraception for 7 days.

Consider EC if repeated or prolonged omission, or if unprotected intercourse occurred during the time the pills were missed and up until seven active pills have been taken

<u>Instructions for missed extended or continuous hormonal contraceptives</u>

Missed pill after 21 consecutive days of extended or continuous use, up to 7 days can be missed. If > 7 days missed, instructions would be the same as for cyclic users who have missed/delayed combined hormonal contraceptive in the first week of use.

When the extended/continuous regimen is resumed, recommendations for cyclic users for missed/delayed combined hormonal contraceptive during the first 21 consecutive days of use should be followed.

Missed progestin only pills

Delayed >3 hours or missing \ge 1 pill:

Unprotected intercourse within the previous 5 days:

EC recommended. Continue pills the next day. Take at same hour daily.

Back-up contraception for 48 hours.

No unprotected intercourse within the previous 5 days:

Take 1 pill ASAP, and continue one pill daily. Take at the same hour daily.

Back-up contraception for 48 hours

Instructions for missed contraceptive ring

Removal \leq 3 hours Re-insert ring ASAP. Ring removal day (i.e., day 21 after taking ring out of the foil) stays the same.

Insertion delayed \geq 24 hours or removal for > 3 hours:

During week 1 and removal > 3 hours or unsure how long ring was removed:

Reinsert ring ASAP. Ring removal day (i.e. day 21 after taking ring out of the foil) stays the same. Back-up contraception for 7 days.

Consider EC if unprotected intercourse within the previous 5 days.

During week 2 or 3 and removal < 72 hours (< 3 days):

Re-insert ring ASAP. Ring removal day (i.e., day 21 after taking ring out of the foil) stays the same. Then start a new cycle with a new ring immediately.

During week 2 or 3 and removal \geq 72 hours (\geq 3 days):

Re-insert ring ASAP. Ring removal day (i.e. day 21 after taking ring out of the foil) stays the same.

Then start a new cycle with a new ring immediately.

Back-up contraception for 7 days. Consider EC if repeated or prolonged omission.

Ring is left in for > 28 days:

For 28-35 days:

Insert new ring immediately. Keep it in until the scheduled ring removal day (i.e. day 21 after taking ring out of the foil).

For > 35 days:

Same as above plus back-up contraception for 7 days. Consider EC if unprotected intercourse within the previous 5 days.

Instructions for missed contraceptive patch

Patch detached for < 24 hours:

Reapply or replace ASAP. Patch change day stays the same. Complete the usual cycle of 3 patches.

Application delayed or patch detached ≥24 hours:

If during week 1 and detachment ≥ 24 hours or unsure how long patch was detached:

Apply new patch ASAP. Patch change day stays the same. Complete the usual cycle of 3 patches. Back-up contraception for 7 days.

Consider EC if unprotected intercourse within the previous 5 days.

During week 2 or 3 and detachment < 72 hours (<3 days):

Apply new patch ASAP. Patch change day stays the same.

Finish the cycle of patches, then start a new 3-patch cycle immediately.

During week 2 or 3 and detachment \geq 72 hours (\geq 3 days):

Apply new patch ASAP. Patch change day stays the same. Finish the cycle of patches, then start a new 3-patch cycle immediately.

Back-up contraception for 7 days.

Consider EC if repeated or prolonged omission.

Extended wear (>9 days):

Patch 1 or 2 left on for 9 to < 12 days:

Apply new patch.

Patch change day stays the same.

Finish the cycle of patches and start a new 3-patch cycle immediately.

For \geq 12 days:

Same as above plus back-up contraception for 7 days.

Consider EC if unprotected intercourse within the previous 5 days.

Extended wear of patch 3 will not reduce efficacy unless left on past the scheduled start of the new patch cycle

*EC= Emergency Contraception (like Plan B, available over-the-counter at SHS pharmacy)